RF Radiation: Issues & Myths

R. Timothy Hitchcock, CIH, CLSO LightRay Consulting, Inc. Cary, North Carolina

Some definitions ...

□ Issue – a matter that is in dispute between 2 or more parties.

☐ Myth – a popular belief that has grown up around a particular source of or exposure to RF radiation; however, the belief is based on hearsay and conjecture and is without scientific merit.

These are issues, but are they myths, too?

□ Video display terminals adversely affect reproductive health of women.

□ Abdominal exposure to 10-GHz radar was responsible for death of a worker.


Exposure to microwave radiation from police radar causes testicular cancer.

And, these ...

□ Chronic exposure to low-intensity microwave radiation from radar causes health effects.

■ Exposure to cell-phone RF radiation is associated with brain cancer.

Video Display Terminal (VDT)



- Component of information processing equipment
- □ Cathode ray tube (CRT) device
- □ Electron beam steered by internal magnetic fields
- Horizontal scan at LF& VLF frequencies

Concerns about Radiation from VDTs

- □ Began around 1970 with concerns with x-ray exposure
- Eventually spanned decades as concerns moved from x-rays thru spectrum to static Efields
- □ RF issues surfaced in mid-1970's
 - 1st NIOSH evaluation published in 1977

Concerns with Health Effects from VLF-RF Exposure

- Cataract formation
- □ Reproductive effects
 - Spontaneous abortion
 - Miscarriages
 - Birth defects
 - Arose from reported "clusters" of effects

Became World-wide Issue Fueled by...

□ VLF Measurement problems

□ Limitations of exposure assessment in epidemiology studies

□ Entrepreneurs: screen shields, enclosures, etc.

VLF Measurement Problem

- □ Out-of-band response
 - NIOSH 1977: E & H instruments' frequency range: 10-500 MHz
 - VDTs emission range: 10-250 kHz

- □ Capacitive coupling
 - Antenna elements used too close to fly-back transformer produce meaningless data.

National Research Council

"Early press accounts of such erroneous readings had led to unwarranted concerns about a potential hazard from RF emissions."

Video Displays, Work and Vision National Academy Press, 1983

Meaningful Measurement Data

- United States, Canada, England, Australia,
 Japan, Yugoslavia, Italy, Germany, Finland,
 Sweden
- □ de facto measurement distance = 30 cm
- □ No overexposures were reported.
- □ Limit: ACGIH guideline

Epidemiology

- Exposure assessment metric: <u>VDT use</u>
- □ Example: Kaiser-Permanente study
 - Case-control study of 1583 pregnant women
 - Questionnaire or telephone interview
 - OR = 1.8 (95% CI = 1.2-2.8) for miscarriage with $\frac{\text{VDT work}}{\text{VDT work}} > 20 \text{ h/wk}$
 - OR not significantly elevated for miscarriage (any work with VDT) or birth defects

NIOSH Study: Schnorr et al. 1991

- □ Cohort study: 323 exposed & 407 controls
- Measurement data: randomly selected work stations
- □ Duration of exposure: company records
- □ Reproductive history: telephone interview
- □ No significant differences in live births, still births, & spontaneous abortion

The diminishing of an issue ...

- □ Swedish Board for Technical Accreditation
 - SWEDAC standards for low-radiation monitors
 - Based on what is technically achievable, not health effects

- □ Some resistance from US manufacturers
 - Some sold low-EMF monitors in Europe & existing technology in US to make a point!

The diminishing of an issue ...

- New technology
 - Commercially viable flat panel displays
 - Liquid crystal displays (LCD)
 - Units actually have a higher E-field strength than CRT-type VDTs

Classification:

- Myth-like qualities
 - All measurements <<EL</p>
 - Penetration depth for cataracts
 - Relative permeability for H field interaction
 - Measurement & epidemiology limitations
 - ID: Clusters




- Unique waveform
- Penetration depth for reproductive effects
- Little known about VLF/LF bioeffects in 1977
- ID: Clusters

Radar Issues & Myths?

- □ Tissue destruction & death
- □ Police radar & testicular cancer
- □ PAVE PAWS & public concern


Radar: Tissue Destruction & Death

- □ 42-year old man
- "...stood directly in the beam of a radar transmitter, within ten feet of the antenna."
- "...sensation of heat... [which] "became intolerable..."



Calif. Med. 86(5): 336, 1957.

Tissue Destruction & Death



- Symptoms consistent with acute peritonitis
- □ No skin damage reported
- □ Appendix gangrenous
- □ Postmortem exam:
 enteritis & "...cooked,
 hemorrhagic
 appearance of small
 bowel..."

Thomas S. Ely, M.D.

- □ Source: 10-GHz microwave
- □ Penetration depth into tissue is shallow.
- □ EM energy is absorbed as it penetrates.
- "To injure an organ in the abdominal cavity it would first be necessary to burn away the abdominal wall."





- Myth-like qualities
 - Penetration depth & attenuation
 - Undamaged skin with internal injuries

- □ Issue-like qualities
 - Armed ServicesInstitute of Pathologyincident report
 - Not unique exposure

Police Radar & Testicular Cancer

Anecdotal reports
 appeared in reports & magazines.


☐ In some states, highway patrolmen stopped using radar.



Police Radar Units

□ Frequencies: 10.5, 24 & 35 GHz

□ Measured exposures (<1 mW/cm²) were lower than exposure guidelines (5 or 10 mW/cm²).





Epidemiology: Testicular Cancer

Design	Study Group	Findings
Cohort	Evaluation of a cluster; 6 subjects	Significant number of observed cases vs. expected
	Davis & Mostofi, AJIM 24:231 (19	93)
Cohort	22,197 Ontario police officers	Slight, non-significant increase in risk
	Finkelstein, AJIM 34:157 (1998)	

Other studies have evaluated testicular cancer & microwave exposure in the workplace, but not specifically for policemen.





- Myth-like qualities
 - Measurement data<<EL
 - Measured levels would not produce significant heating in testes
 - Anecdotal reports

- □ Issue-like qualities
 - Penetration depth
 - Elevated temperature can affect testes

PAVE PAWS & Public Concern


- □ Phased Array Warning System
- Part of US Air Force Space Command
- □ Located on upper Cape Cod, MA
- Purpose
 - Detect & track sea-launched and ICB missiles
 - Track earth satellites

PAVE PAWS Characteristics

- □ 420-450 MHz
- □ 1792 active elements
- □ 325 watts per element
- □ 22.1 m diameter (active radar)
- □ Exclusion fence @ 305 m
- □ 20 degree face tilt
- □ 60% of energy in main beam



Protests Began in 1977



- Meetings between public & USAF
- Much press coverage
- Concern about thermal effects of exposure
- Questions arose about
 US exposure guidelines
 vs. substantially lower
 Soviet limits

National Research Council

- □ Report published in 1979
- □ Estimated exposure to general public
 - 100 µW/cm² maximum
 - \blacksquare 1 μ W/cm² time-averaged
- "...no known irreversible effects of such exposure on either morbidity and mortality in humans or other species."


However, concerns persisted...

□ Possible biological relevance of waveform

 Concerns about time delay of emission including sidelobes

□ Uniqueness of PAVE PAWS radiation may render existing safety standards inadequate

2005 NRC Report



■ Waveform similar to that of dish antennas used for radar and SATCOM

- Estimated exposure to general public
 - Consistently $< 0.1 \,\mu\text{W/cm}^2$
 - Range: $0.001 0.01 \, \mu \text{W/cm}^2$
 - Highest: 15 μW/cm² (elevated locations)

Conclusions on Possible Health Effects

□ Increasing duration of exposure has not resulted in increased incidence of cancer.

"...no adverse health effects to the population resulting from continuing or long-term exposure to the PAVE PAWS radiation."

Conclusions on Possible Health Effects

■ No risk of cancer, reproductive/developmental effects or neurobehavioral effects

□ Based on review of animal studies

□ Relevance of some biological changes is not known or may have no impact on health

Epilogue ...it's not over yet!

□ Epidemiology study has been performed by the International Epidemiology Institute.

□ 2006 – NRC panel reviewed results of final draft of epidemiology study

□ Final report not published yet

Classification:



- Myth-like qualities
 - All measurements <<EL (1979, 2005)</p>
 - Thermal effects not expected at measured levels (1979)
 - Speculative mechanism (2005)
 - Unique waveform (2005)


- □ Issue-like qualities
 - Lack of information / response by USAF
 - Waveform not unique (2005)
 - Increased risk rates in cancers in upper Cape Cod communities
 - Involvement of National Research Council

Cell Phones & Brain Cancer

Exposures: UHF radiation from phone & base station

Base station: elevated,2-way radio

Area covered called a cell



How it began ...

- ☐ Issue surfaced on Larry King Live in 1993
- ☐ Individual law suit against cell phone manufacturer & service provider
- □ Basis: wife's death from brain cancer




Cellular Telecommunications Industry

- Not prepared for ensuing controversy
- □ Studies of exposure to cell-phone radiation were non-existent.
- □ Industry-sponsored literature review
 - Included many animal studies of 915 & 2450
 MHz (microwave oven/dryer frequencies)
 - No relevant dosimetric or human studies


What about exposures?

Base Stations
Measured levels
< 1% EL




Determinants of Exposure (Local SAR)

- □ Frequency
- Handset geometry
- Orientation of antenna
- □ Size / shape of head
- □ Antenna type / size
- □ Local SARs may be \geq EL



Dosimetry: Local SAR



1.8 GHz by a 1 W cellular phone antenna

- □ SAR determined in physical & computer models of head
- □ RF energy localized to side of head exposed
- □ Pinna highly exposed
- Ocular exposure demonstrated, too.

Health Effects' Studies

□ In vitro – genotoxicity; searching for a mechanism

□ *In vivo* – cancer & CNS; relatively few studies

□ Humans – experimental & epidemiologic

Human Cancer Studies

□ Designs: case-control, cohort, ecological

□ End points: all, brain, acoustic neuroma, salivary, ocular melanoma, leukemia

Human Cancer Studies - Results

Brain cancer not reliably affected

- □ Examples: positive & negative findings for
 - Analogue phone use
 - Glioma
 - Laterality
 - Acoustic neuroma


Studies with Test Animals

- One statistically significant finding
 - 900 MHz, 0.01-4.2 W/kg, transgenic (lymphomaprone) mice, increase in all lymphomas & nonlymphoblastic lymphomas

□ Not replicated; other studies observed no statistically significant differences between exposed & control animals

Waiting with baited breath ...

- □ Interphone study
- □ 13 European countries using stylized methods
- Many countries have reported study results
- Overall findings & dosimetric results not published, yet



Classification:



- Myth-like qualities
 - No known mechanism for effect
 - Low operational power
 - ID: individual with litigation

- ☐ Issue-like qualities
 - Some measurement data indicate potential for overexposure
 - Penetration depth can reach target tissue
 - Unique exposure near field with modulation

Summary



- □ VDTs & reproductive health
- □ Cell phones & brain cancer
- □ PAVE PAWS & public concern



- □ Radar: tissue & death
- Police radar & testicular cancer